



Envisioning the Future of Communication

Vol 2, No 1 (2025)

Envisioning the Future of Communication - Conference Proceedings vol. 2



Visualization of Big Environmental Data using the Card Sorting method

Vasiliki Valsamou

doi: 10.12681/efoc.7902

Copyright © 2025, Vasiliki Valsamou



This work is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike 4.0.</u>

Visualization of Big Environmental Data using the Card Sorting method

Valsamou Vasiliki*

Abstract

Card Sorting method is mainly applied to investigate the mental models of users, having no chance to visualize them. In this pilot study, the method is used to evaluate the usability of a big data environmental MIT website. In order to evaluate the visualization of the information, the method was modified. The cards presented the interfaces while the categories described the situ of interfaces on monitor's screen. Qualitative and quantitative evaluation methods were combined as follows: (a) Hypertext recording to investigate the workflow, (b) Think-Aloud method with users to define the evaluation scenarios, (c) two Tree Test to identify the problematic nodes, (d) SUS and finally (e) Cart Sorting. The sorting was online, remote, moderated & hybrid. The following questionnaire of the tool was adopted to evaluate the graphical approach and the designer's color pallet. The procedure pointed out two crucial differences from the existing design. One was proposed to improve usability. This modified Card Sorting method appeared to facilitate the visualization of mental models on the tool's screen, while designers' groups may use the modification to evaluate their work.

Keywords: Cart Sorting, Tree Test, visualization of mental models, usability, interface's situ evaluation, human computer interaction.

Introduction

Card Sorting is a user-centered method of analysis workflow in web designing. According to Allison et al, only 7% of recent evaluation studies of websites include or refer to the Card Sorting method, mainly used as an architectural structure tester (Allison et al., 2019). Main purpose of the method is to investigate the several approaches a user-visitor anticipates to find information under a hierarchical structure. Methodology, acquires the participates to pill up cards scattered on a physical or digital table without reference to their visual position, as being stated by several usability investigators (Lamantia, 2003; Nielsen, 2024; Paul, 2008; Rugg & McGeorge, 2005; Spencer, 2009; Tankala & Sherwin, 2024) in addition to usability expert groups i.e.: NNgroup, Syntagm, Usability gov., Userlytics, Usertest etc.

On the other hand, Indices describe ideas that need a spherical analysis approach. Weightings are both statistically and participatory developed. According to Drago the latest statistical tense

1

 $^{{}^*}$ Valsamou Vasiliki, MSc Graphic Arts, Multimedia, Hellenic Open University.

to indices developing is "Symbolic" and "Interval" composition (Drago, 2022; Drago, 2017). Moreira stated that beside the statistical approach of indice construction, human centered methods such as interviews, queries, public opinion (PO), budget allocation (BA), ad-hoc / subjective process based on expert opinion, have been used in success with weighting (Moreira, 2012; Saltelli, 2006).

During the present postgraduate study, Card Sorting method was challenged to evaluate the visualization of "The Green Future Index 2021, MIT Review Technology, Insight" website (https://www.technologyreview.com/2021/01/25/1016648 /green-future-index). On the first sight, it looked like a unique site for the use of Card Sorting method. The procedure led the Card Sorting to a differentiated application of the method adapted to the ability of the participants.

The query: What will the cards represent?

Most postgraduate studies make use of open-source Card Sorting tools while few of them have free use (UXTweak, XSort, Kardsort, Figma, Miro 51%, Optimal workshop 43.52%) (Lee, 2021). These tools either have limitations of cards or participants per sorting (Optimal Workshop, UXtweak, UXMetrics) or unlimited cards, categories and participants with limitations of data time accessibility or lack of linked analysis (Figma, Miro) (Lee, 2021). Online sorting complies with Rugg & Mc George description procedures severally verified by most Usability Groups through the years. In addition, tools with linked visualizations are most popular (Optimal workshop 43.52%, Maze, UXMetrics) (Lee, 2021). Tools mainly adopt directed manipulation tools i.e.: drag and drop of cards, gaining versatility of movement among the cards in separate piles forth and back the primarily and ending piles on the visual table. Most categories are named according to each participant's hierarchical mental model (Tankala & Sherwin, 2024). Participants place the cards without reference to their design position (situ) on the media screen, i.e.: monitor's, notepad or cell phone's screen.

The Green Future Index 2021 data, as well been described in the linked report, derived from international government and organization data banks/lakes as: Word Bank, Bloomberg, FAO, IRENA etc. After homogenization, each Country's score represented by a climax 1-10. Weighting proved most important to fulfill the scope of the index (fig.1). Several interviews of well-known sustainability experts, as stated in the report, led to an uneven percentage contribution of the 18 separate indexes to the five-pillar construction with a unique 40% percentage to Climate Policy pillar. Visualization of the 1824 data, of all the indexes including pilar and 76 country indexes fulfilled by a 6 pages dark mode website, connected by a category top menu. Each page was represented with a different color referred to information levels either on an interactive spatial visualization or an interactive country list with economic, spatial, score, rank criteria.




Figure1: Structure and weighting of the Green Future Index.

Evaluation of the website visualization refers either to graphical approach or architectural structure, i.e.: itineraries of hierarchy (Spencer, 2009:21; Styliaras et al, 2019:227-238). In order to make use of a free 20 card open-source tool, the 18 indexes looked like fitting in (Optimalsort, UXTweak). On the contrary, it has no sense to evaluate such a well-constructed Weighting of MIT specialist team, clearly described in the report. In addition, the participants should be aware of the procedure of indices construction, especially being experts in sustainability (Meadows, 1998). That wouldn't be handled by relevant seminars about the Green Future Index 2021 indexes and pillars construction, being inspired by the linked report. The participants should be already aware, ideally with an ecological background updated to Paris Agreement, which was difficult to gather within postgraduate study time limitations (United Nations, 2024). On the other hand, there was the obvious choice of 76 countries' representation on Card Sorting cards, but it was meaningless. Figma, Miro or Google slides tools were a fine choice to accomplish the procedure (Lee, 2021). Envisioning the procedure, participants had to group the 76 countries under their mental model's classification. Probable criteria would be that of spatial, score or economic criteria, which have already been applied. Extra criteria would lead to addition of extra columns or modification of existing column's visualization in the interactive country list. The visualization of the interactive global map wouldn't be affected, since the spatial criterion is mainly applied. Besides, the moderator wouldn't affect statistical analysis but only explanatory (Righi et al., 2013). So far as visualization interferes with the Design of a website, in addition to the present overwhelming amount of information, there was a challenge to test whether the Design of the website worked.

Methodology

Previous research referring to Card sorting evaluation of spatial visualization websites, verified that Moderated Card Sorting had a significant importance in the correct organization and obtaining important comments during the classification (Nielsen & Chan 2024; Paul, 2008; Spencer, 2009:101; Tankala & Sherwin, 2024; Rugg & McGeorge, 2005). Lloyd et al. proceeded to participant's sketching their mental model which appeared very effective and meaningful (Lloyd et al., 2008). Roth et al. tested the classification of map symbols into groups and their correct description. Participants were asked to register their verbal comments in relevant comments field (Roth et al, 2010). It is highly recommended to apply a tree test before a Card Sorting evaluation in order to identify problematic nodes (NNgroup, 2019; Sauro, 2012; Userlytics, 2024). According to usability experts, a concept such as visualization or sustainability need firm research before scenarios definition (Spencer, 2009; Tankala & Sherwin, 2024; Usability gov, 2022; Rugg & McGeorge, 2005). Hypertext registration was used in order to check existing terminology of hierarchy (Urh et al, 2014).

Making use of the above, the evaluation was carried out in two parts: Tree test and Card sorting, starting with an investigation of architectural structure and user's notions about the website. Card Sorting was combined with qualitative and quantitative methods, so the evaluation workflow was described as follows:

<u>Hypertext registration</u> - to investigate the workflow. Website accomplishes two tasks: one of each country's score (performance) and another of two countries' score comparison through all indexes, pillars and indice (comparison). The workflow is diagrammatically depicted on fig.2. It's obvious that the workflow does not have the shape of a tree but that of two connected pyramids, i.e.: a cone, while the visitor has the opportunity to find information via several direct manipulation tools plus complicated routes.




Figure 2: Hypertext registration of "The Green Future Index 2021", for the evaluation. (January 2023)

2- <u>User's Cognitive walkthrough Thinking-Aloud</u> - to define scenarios. Five computer experts were observed under the "Thinking-Aloud" method to spot the most representative countries to evaluate by tree test (Nielsen, 2012). Finally, for the performance task, Australia was chosen thanks to the separate huge spot on the opposite side of the map. Participants had to choose between list or map and what direct manipulation tool in order to appear Australia's Data Table. France and Italy were the two countries to combine performance for their neighborhooding spots, tempting users to click the map rather than the list to find the comparison. Participants were pleased to ask about well-known countries while comments started to reveal the problematic nodes. The two scenarios for the tree test were formed after several tool specifications (Optimal workshop, Usertest) as follows:

Task 1 - Performance: You are at the homepage of our website. You want to have the overall ranking performance of Australia. Where will you find it?

Task 2 - Comparison: You are at the homepage of our website. You want to have the overall ranking performance of France and compare it with Italy's. Where will you find it?

After the pre-research, an open invitation via Google forms, was forwarded to student association, where 10 postgraduate students of Graphic Arts and Multimedia accepted to participate in the Sorting, urging the sorting to evaluate visualization via design evaluation (fig.3). Usability experts clearly state that a limit of 50 participants is highly recommended to investigate a concept such as visualization, either for tree test or the cart sorting (Spencer, 2009:76; Tullis & Wood, 2004). The amount of 10 participants characterized the research as a pilot one, which led to Optimal Workshop usability platform for: Tree test and cart sorting in free open source has a limit of 10 participants, two tasks for the tree test plus 10 participants, 20 cards, unlimited categories for open or hybrid sorting. Both tests analyze data results with linked visualizations. Additionally, data and data analysis remains for use in the Optimal Workshop platform for a long time.

Card Sorting evaluation was conducted, in two (2) weeks (April 2023, 10-25), as follows:

- A) <u>Tree test:</u> introduction to the website, short time interaction of the participants, running the tree test individually with the selected tool. A link of the tool tree test and a demo of the tree test procedure was separately forwarded.
- B) After extensive interaction and individual investigation, a <u>SUS</u> for quantitative data gathering and <u>Card Sorting</u> was carried out individually. A Card Sorting tool and a google form link was separately forwarded.

Visual Art teacher 1
Visual Art teacher 2
Visual Art student 3
Graphic Art professional
Photographer professional
Technology professor 1
Technology professor 2
Computer Science teacher 1
Computer Science teacher 2
Computer Science teacher 3




Figure 3: Demographic data of statistical sample.

Tree test is hard to evaluated big data visualizations

In order to settle the tree test, apprised a demand to register the most possible routes of hypertext for the scenarios. Furthermore, pilot tests were conducted with chaotic results without similarity to in-vivo interaction with the website. In addition, the real interaction looked less chaotic and more specific. In order to test the tree test, it was decided to contact two tree tests, under the same scenarios. The first one in-vivo with real interaction with the website under data recording. The following tree test by the tool. Both tree tests were conducted remotely via the Optimal workshop platform, moderately via WebEx. Moderator explained the scenarios verbally in Greek, observed and recorded the procedure. Participants proceed separately to interact with tree test tool or the website. Data record of the first tree test was carefully registered in the platform of Optimal Workshop, with added nodes the participants had visited (i.e.: Russia) (fig. 4, fig.20). Both tree tests data were analyzed with linked visualizations which had to be compared (fig.17). As soon as the tree test finished, verbal comments pointed out the problematic nodes (fig. 21). Tree test proved to be a fine preparation for the next phase of evaluation workflow: the Card sorting. The main scope of the two tree tests was the participants to cope with the website and form their mental models as designers and user' experience. The whole procedure plus the origin of the participants as postgraduate students of Graphic Arts and Multimedia, concluded that the Cards could represent the interfaces of the pages, while the categories the design situ.

Overall Ranking (GFI21)						1	
Overali Nariking (Gr 121)							
	↓ View Data						
		dataset					
			overall				
	♣ Download Report						
		pdf report					
	GEO MAP						
		scroll GEO MAP					
<u> </u>		SCIOII GEO MAP					
I			zoom out GEO MAP				
			zoom in GEO MAP				
		India shape					
 			Indonesia shape				
				Australia shape			
		South Aftrica shape					
 		Occur, maioa chape	P. L. L				
<u> </u>			click+drag				
I				Australia shape			
			delete South Africa data table				
				GEO MAP start point			
		France shape					
<u> </u>			data table				
				breakdown			
 					data datath		
					data details		
				delete France data table			
					GEO MAP start point		
				mouse over			
					GEO MAP Italy shape		
					scroll country list		
						Iceland	

•					
				Denmark	
				Norway	
				Ireland	
				Finland	
				Costa Rica	
				New Zealand	
				Belgium	
				Nedelands	
				Germany	
				Sweden	
				Luxemburg	
				Canada	
				Austria	
				Singapore	
				United Kingdom	
				Spain	
				Switzerland	
				Uruguay	
				India	
				Italy	
				Kenya	
				Chile	
				Colombia	
				Morocco	
				Ethiopia	
				Czech Republic	
				Thailand	
				Portugal	
	l]			

1		i	1	Í	1	10 ""	î.	1
						South Korea		
						Brazil		
						Kazakhstan		
						Poland		
						Australia		
						Mexico		
						Greece		
						Israel		
						Hungary		
				search/type				
					France			
					Italy			
					France, Italy			
		click +drag						
			click +drag					
				Australia shape				
			Kenya					
				click+drag				
					Ausralia shape			
		Italy shape						
		Russia shape						
			country list					
				search				
					France			
	country list							
		scroll country list						
			Iceland					
			Sweden					
								-

Luxembourg			
Canada			
Austria			
Singapore			
United Kingdom			
Spain			
Switzerland			
Uruguay			
India			
Italy			
Kenya			
Chile			
Colombia			
Morooco			
Ethiopia			
Czech Republic			
Thailand			
Portugal			
South Korea			
Brazil			
Kazakhstan			
Poland			
Australia			
Mexico			
Greece			
Israel			
Hungary			
United States			
SG. States			

Cameroon		ĺ
United Arab Emirates		
Philippines		
Bulgaria		
China		
Taiwan		
South Africa		
Romania		
Vietnam		
Slovakia		
Zambia		
Angola		
Nigeria		
Uganda		
Dominican Republic		
Malaysia		
Indonesia		
Egypt		
Argentina		
Japan		
Saudi Arabia		
Ecuador		
Ukraine		
Hong Kong, China		
Kuwait		
Peru		
Pakistan		
Turkey		

1	1	Bangladesh			ſ		1
		Guatemala					+
		Ghana					
		Algeria					
		Russia					
		Iran					
		Paraguay					
		Qatar					
		Denmark					
		Norway					
		France					
			data table				
				breakdown			
					data details		
				delete France data table			
					GEO MAP start point		
				mouse over			
					scroll country list		
					,	Iceland	
						Sweden	
						Luxembourg	
						Canada	
						Austria	
						Singapore	
						United Kingdom	
						Spain	
						Switzerland	
						Uruguay	
				J			

India Italy Kenya Chile Colombia Morooco Ethiopia Czech Republic Thailand Portugal South Korea Brazil Kazakhstan Poland Australia Mexico Greece Israel Hungary United States Cameroon United Arab Emirates Philippines Bulgaria China Taiwan

South Africa Romania

Siconária Zembro Angoria Angoria Negeria Negeria Siconária Negeria Negeria Siconária Siconária Negeria Siconária Sic	I	1	I	I	I	I	1	Vietnam	ı
Zambla Z									
Angolia Noporia Noporia Noporia Uganda Deminian Republic Malayata Indonesia Indonesia Fepyr Apprilina Apprilina Apprilina Sudd-Anabia Ecuador Utarate Hong Kong, China Kuwatt Feru Paru Patutana								Slovakia	
Nigeria Nige								Zambia	
								Angola	
Dominican Republic								Nigeria	
Malaysia Indonesia Indonesia Egypt Argentina Appen Saudi Arabia Ecuador Ukraine Hong Kong, China Kuwati Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria								Uganda	
Indonesia Egypt								Dominican Republic	
Egypt Argentina								Malaysia	
Argentina Japan Japan Saudi Arabia Ecuador Ukraine Hong Kong, China Kuwatt Peru Preu Prau Pakistan Turkey Bangladesh Guatemala Ghana Algeria								Indonesia	
Argentina Japan Japan Saudi Arabia Ecuador Ukraine Hong Kong, China Kuwatt Peru Preu Pratistan Turkey Bangladesh Guatemala Ghana Algeria								Egypt	
Japan Japan Saudi Arabia Ecuador Ukraine Hong Kong, China Kuwait Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria									
Saud Arabia Ecuador Ukraine Hong Kong, China Kuwait Peru Pakistan Turkey Bangladesh Bangladesh Guatemala Ghana Algeria									
Ecuador Ukraine Hong Kong, China Kuwat Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria									
Ukraine									
Hong Kong, China Kuwait Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria								Ecuador	
Kuwait Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria								Ukraine	
Peru Peru Pakistan Turkey Bangladesh Guatemala Ghana Algeria								Hong Kong, China	
Comparison of the Comparison								Kuwait	
Turkey Bangladesh Guatemala Ghana Algeria								Peru	
Bangladesh Guatemala Ghana Algeria								Pakistan	
Guatemala Ghana Algeria								Turkey	
Ghana Algeria								Bangladesh	
Algeria Algeria								Guatemala	
Algeria Algeria								Ghana	
1 1/05510									
Iran Iran									
Paraguay									
Qatar Qatar								Qatar	

Cady Shape Cad	1	I	1	1		1	GEO MAP		
								Italy shape	
France F						search / type		, ,	
Italy Italy Iterand It						search type			
France, Italy									
Iroland Fritand Frit							Italy		
Finland Costa Rica New Zealand New Zealand Neofrands Neofrands Germany Search / type Country list Australia Finance Direatedown Indiana table Finance Indiana table Indiana table Finance Indiana table Indiana ta							France, Italy		
Costa Rica New Zealand Belgium Noderlands Germany Search / type Country list Australia France Search / type Search / type GEO MAP Rialy shape France, Italy				Ireland					
New Zealand Belgium Nederlands Germany Search / type Searc				Finland					
Beiglum Nederlands Germany Search / type Country list Australia France Interpretation of the process of the pro									
Nederlands				New Zealand					
Germany search / type country list Australia France data table breakdown breakdown search / type ltaly France France France France France France France France France, Italy GEO MAP Italy shape delete France data table									
Search / type				Nederlands					
Country list Australia France Gata table Italy France Italy France Italy France France Italy France				Germany					
Australia France data table breakdown search / type Italy France France France France France France France France France France, Italy GEO MAP Italy shape delete France data table Italy France, Italy			search / type						
France data table breakdown search / type Italy France France France France Italy GEO MAP Italy shape delete France data table Italy France, Italy France, Italy				country list					
data table breakdown search / type Italy France France GEO MAP Italy shape delete France data table Italy France, Italy France, Italy									
breakdown breakdown search / type Italy France France GEO MAP Italy shape delete France data table Italy France, Italy					France				
search / type Italy France France GEO MAP Italy shape delete France data table Italy Italy France, Italy						data table			
Italy France France, Italy GEO MAP Italy shape delete France data table Italy France, Italy							breakdown		
France France France, Italy GEO MAP Italy shape delete France data table Italy France, Italy							search / type		
France, Italy GEO MAP Italy shape delete France data table Italy France, Italy								Italy	
GEO MAP Italy shape delete France data table Italy France, Italy								France	
delete France data table Italy France, Italy								France, Italy	
Italy France, Italy									
France, Italy							delete France data table		
compare					France, Italy				
				compare					

		Filters						
			Region					
				East Asia, Pacific				
					New Zealand			
					Singapore			
					Thailand			
					South Korea			
					Australia			
					Philippines			
					China			
					Taiwan			
					Vietnam			
					Malaysia			
					Indonesia			
					Japan			
					Hong Kong			
				Europe, Central Asia				
					Iceland			
					Denmark			
					Norway			
					France			
						data table		
							breakdown	
							delete data table	
							Italy shape	
							scroll country list	
								Iceland
								Denmark
-	•	•		•	•	•	•	<u> </u>

1	1	I	1	I	I	Norwary
						Ireland
						Finland
						Belgium
						Nederlands
						Germany
						Sweden
						Luxemburg
						Austria
						United Kingdom
						Spain
						Switzerland
						Italy
						Czech Republic
						Portugal
						Kazahstan
						Poland
						Greece
						Hugnary
						Romania
						Bulgaria
						Slovakia
						Ukraine
						Turkey
 		 				Russia
					search / type	
						Italy
						France
			1			

					Australia
					France, Italy
			Ireland		
			Finland		
			Belgium		
			Netherlands		
			Germany		
			Sweden		
			Luxemburg		
			Austria		
			United Kingdom		
			Spain		
			Switzerland		
			Italy		
			Czech Republic		
			Portugal		
			Kazakhstan		
			Poland		
			Greece		
			Hungary		
			Bulgaria		
			Romania		
			Slovakia		
			Ukraine		
			Turkey		
			Russia		
	Rank				

		change order 1-76 or 76-1			
	Score				
		change order 1-76 or 76-1			

Figure 4: In-vivo Tree test - 9 hierarchy levels - with the addition of the unexpected nodes of Russia, Kenya and Italy in red (.xls).

The Card Sorting - the timing

The procedure of tree test lasted a week. Following, each participant had a week to personally, at his own will, interact with the website to form their personal opinion and mental model about the usability and visualization of the latter. The tree test closed, so participants were invited to run the SUS and Card Sorting. Sorting conducted individually within the 45 minutes time limit of WebEx free tool. The participants had to sort a pill of 20 digital cards representing the interfaces of one page of the Green Future Index 2021 website, such as:

1.GEO MAP, 2.COUNTRY LIST, 3.FILTERS/CRITERIA FOR COUNTRY LIST, 4.SEARCH, 5.COMPARE, 6.OVERALL RANKING, 7.GREEN SOCIETY, 8.CARBON EMISSION, 9.ENERGY TRANSITION, 10.CLEAN INNOVATION, 11.CLIMATE POLICY, 12.SPONSORS, 13.ABOUT INDEX - HIGHLIGHTS OF INDEX, 14.ABOUT - CONTACT WITH - ADVERTISE WITH MIT TECH.REVIEW, 15.FB-IN-INSTAGRAM-TWITTER, 16.DOWNLOAD REPORT, 17.VIEW DATA, 18.DATA TABLE / COMPARE DATA TABLE, 19.TITLE Description, 20.SUBTITLE Description.

They had to pill the cards into categories under the situ name. A hybrid sorting was conducted, thus categories under the name of RIGHT, LEFT, TOP MENU, LEAVE IT AS IT IS, NOT IMPORTANT, CENTER guided the participants. The moderator explained each time the procedure that the categories are the situ of the interfaces / cards. Verbal comments were registered and participants were encouraged to name the categories however they wanted without guidance. In order to evaluate the color of the indice and the pillars plus the color and the graphic manipulation of the problematic nodes, the tool's following questionnaire was adjusted to a 12 standard multiple choice of basic and complementary colors as shown in fig.5. The multiple choices were: RED, GREEN, BLUE, MAGENTA, YELLOW, CYAN, GRAY, WHITE, LIGHT, DARK, BOLD, FRAMED, HIGHLIGHTED / BLENDED plus a final open question for further suggestions. The questions referred to the problematic nodes, pillars, indice as follows:

What color or graphic approach would you prefer for: 1. Overall Ranking (The Green Future Index), 2. Carbon Emission, 3. Energy Transition, 4. Green Society, 5. Clean Innovation, 6. Climate Policy, 7. Search, 8. Compare, 9. Data Table / Compare Data Table, 10. Title / Subtitle text, 11. Filters / Criteria.

Questionnaire data was analyzed by the tool. Sorting Data were explanatory and statistically analyzed with connected visualizations.

Question 1 of 12
* Με ποιό χρώμα ή άλλη γραφιστική επιλογή θα θέλατε να ξεκινάει ο διαδικτυακός τόπος THE GREEN FUTURE INDEX! ΜΙΤ TECHNOLOGY REVIEW INSIGHTS;
LRED 1.RED
✓ 2.GREEN
3.BLUE
4.CYAN
5.MAGENTA
G.YELLOW
ZWHITE 7.00
8.GRAY
9.LIGHT
10.DARK
11.BOLD
12.FRAMED
13.HIGHLIGHT / BLENDING OPTIONS
Other
Co. dinue

Figure 5: Screen from the Questionnaire about Graphics (in Greek).

Results: Mental models and homogenization

Through the sorting procedure, participants had the opportunity to pill the interfaces - cards into categories under the situ name, i.e.: FOOTER RIGHT, FOOTER CENTER, CATEGORY MENU, CENTER etc. Drag and drop procedure enabled the participants to place their categories to their physical position in order to visualize the sorting digital table in spatial mode, i.e.: to drag the category under the name RIGHT to the right side of the table, the category named FOOTER to the bottom etc. A participant's effort to visualize his mental model is depicted in fig.6. Additionally, participants freely created 42 situ - categories which had to be homogenized. Due to the small number of participants, moderator decided to sketch the mental models of participants - inspired by LLoyd's et al, making use of all the relevant data of sorting, questionnaire and participants comments (Lloyd et al., 2008) (fig.7). Few participants hesitate about the left or right position of the country list or map which led to multiple overwhelming mental models. The classification of interfaces-card among each situ, was of high importance, so had to be determined each time. The moderator had to verify whether, i.e.: in situ CATEGORY TOP MENU, which was prevailing among the generated categories, how the participants preferred the order of indice and pillars. 50% of the participants placed CLIMATE POLICY pillar next to GREEN FUTURE INDEX, in order to justify the 40% weighting.




Figure 6: Visualization of a participant's Mendal model on the tool's screen




Figure 7: Visualizations of participant's mental models via pixel editing.

After consideration the 42 categories minimized to 18, thus 16 while two were NOT IMPORTANT and NOT HOMOGENIZED (fig.8). Labeling of the categories was in Greek but homogenized categories in English. What is well noted about the primary names of the categories - category's name in red (fig.8) - is the necessity to check page code and programming, i.e.: category name "be able to move via mouse", "always on sight top of page", "hover" etc.

UNSTANDARDIZED CATEGORY NAME	UNIQUE CARDS	STANDARDIZED CATEGORY NAME	UNSTANDARDIZED CATEGORY NAME	UNIQUE CARDS	STANDARDIZED CATEGORY NAME	
ΠΙΟ ΔΕΞΙΑ ΕΚΕΙ ΠΟΥ ΕΙΝΑΙ	1	ABOUT INDEX PLACE	HOVER BAR ON TOP	1	HOVER ON CATEGORY MEN	
EKEI ΠΟΥ EINAI, ΠΙΟ ΚΕΝΤΡΟ	1	ADOME LIST	ΣΩΣΤΗ ΘΕΣΗ	20	LEAVE IT AS IT IS	
ΠΑΝΩ ΑΠΟ ΤΗ ΛΙΣΤΑ	3	ABOVE LIST	LEFT	16	LEFT	
BAR ON TOP OF PAGE (ΣΕΙΡΑ ΣΤΟ ΠΑΝΩ ΜΕΡΟΣ)	7	CATEGORY MENU	RIGHT	6	RIGHT	
CENTER	8	CENTER TO PAGE	MENU ON TOP OF PAGE(LEFT)	6	PORTRAIT CATEGORY MENU	
ΚΕΝΤΡΙΚΑ ΣΤΟΝ ΚΕΝΟ ΧΩΡΟ ΑΝΑΜΕΣΑ ΣΤΗ ΛΙΣΤΑ ΚΑΙ ΣΤΟ ΤΕΛΟΣ ΟΘΟΝΗΣ - ΚΕΝΤΡΑΡΙΣΜΕΝΟ ΜΕ ΤΗ ΓΗ			ΠΑΝΩ ΑΠΟ MENU ON TOP OF PAGE (LEFT)	1	LEFT ABOVE CATEGORY ME	
ΜΕΤΑΞΎ ΑΡΙΣΤΕΡΗΣ ΛΙΣΤΑΣ ΚΑΙ ΧΑΡΤΗ		CENTED ALWAYS	2ND BAR TOP RIGHT	2	RIGHT UNDER CATEGORY	
ΝΑ ΒΓΑΙΝΕΙ ΔΙΠΛΑ ΣΤΟ ΚΟΥΜΠΙ COMPARE	'	CENTER ALWAYS	ΠΑΝΩ ΑΠΌ ΤΗΝ BAR ON TOP OF PAGE			
ΘΕΛΩ ΝΑ ΤΟ ΜΕΤΑΚΙΝΏ ΟΠΟΥ ΜΕ ΒΟΛΕΥΕΙ	1		KENTPIKO MENOY (MENOY BAR))		STABLE MENU	
ΑΡΙΣΤΕΡΑ ΑΠΟ ΤΗ ΛΙΣΤΑ ΠΑΝΤΑ ΣΤΟ ΚΕΝΤΡΟ ΤΗΣ ΣΕΛΙΔΑΣ	-		RESOURCES			
ΠΑΝΩ ΚΕΝΤΡΟ ΣΕ ΚΑΘΕ ΣΕΛΙΔΑ	1	CENTER TOP	BAR TOP RIGHT	6		
KATO AETIA		CENTENTO	ΣΤΑΘΕΡΑ ΣΤΟ ΠΑΝΩ ΜΕΡΟΣ			
ΚΑΤΩ ΜΠΑΡΑ	-		ΣΤΑΘΕΡΑ ΣΤΟ ΠΑΝΩ ΜΕΡΟΣ ΔΕΞΙΑ ΚΑΤΩ ΑΠΟ ΤΟ ΑΒΟυΤ			
ΜΠΑΡΑ ΣΤΟ ΚΑΤΩ ΜΕΡΟΣ ΤΗΣ ΣΕΛΙΔΑΣ	-		ΣΤΑΘΕΡΗ ΜΠΑΡΑ ΠΑΝΩ ΠΑΝΩ			
	-		KATΩ AΠΟ THN BAR ON TOP OF PAGE			
FOOTER RIGHT FOOTER LEFT	6	FOOTER	ΑΚΡΙΒΩΣ ΚΑΤΩ ΑΠΟ ΤΗΝ ΜΠΑΡΑ, ΣΤΗ ΣΕΙΡΑ ΑΠΟ ΑΡΙΣΤΕΡΑ ΠΡΟΣ ΤΑ ΔΕΞΙΑ	3	UNDER CATEGORY MENU	
FOOTER MIDDLE			NOT IMPORTANT	3	NOT IMPORTANT	
FOOTER ΣΕ ΤΡΕΙΣ ΣΤΗΛΕΣ	1		UNSTANDARDIZED			
ΚΑΤΩ ΚΕΝΤΡΟ	1		ΟΠΩΣ ΕΙΝΑΙ ΑΛΛΑ ΣΕ ΚΑΘΕ ΠΕΡΙΠΤΩΣΗ ΝΑ ΚΙΝΟΎΝΤΑΙ ΤΟ ΕΝΑ ΔΙΠ/	Α ΣΤΟ ΑΛΛΟ ΚΑΙ ΟΧΙ	ANETAPTHTA	
ΚΑΤΩ ΑΠΌ ΤΗ ΚΑΤΩ ΜΠΑΡΑ ΜΕΣΗ	1		ΚΑΘΩΣ ΣΚΡΟΛΑΡΕΙ Η ΣΕΛΙΔΑ	o resio isil oni	ANELAPINIA 2	
			ΣΤΗ ΛΙΣΤΑ ΠΑΝΩ ΣΤΗΝ ΕΠΙΛΟΓΉ ΤΗΣ ΧΩΡΑΣ ΜΕΤΑ ΤΟ ΟΝΟΜΑ ΤΗΣ	ΧΩΡΑΣ	1	
			ΤΕΛΕΥΤΑΙΑ ΣΤΗΛΗ ΔΙΠΛΑ ΑΠΟ ΤΟ INCOME GROUP ΜΕ ΔΥΝΑΤΟΤΗΤΑ	. CHECK ΠΑΡΑΠΑΝΩ Α	ΠΟ ΔΥΟ ΧΩΡΕΣ 1	

Figure 8: Homogenization matrix.

Results: Explanatory and Statistic analysis

Table of arithmetical correlation in fig.9, links cards with homogenized categories, i.e.: interfaces with design situ (fig. 10). Color has been used to improve visual ability of the results (Lamantia, 2003). Results of the "LEAVE IT AS IT IS" category had to be added to results that verify the present design situ. After a controversy, it is clear that participants verified the present designing of the website, despite two crucial points. One about the situ of the data table, where 60% of the participants preferred to appear in the middle of the screen either to be mouse movable. The second finding was the overwhelming 70% of the participants, who were annoyed by the sponsors design situ, thus proposed to diminish their presence to the footer either center or right position.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1				1					2	2			4					1
2				1					2	3			2				1	1
3		1		1					3	3			2					
4		1		1					3	2			2			1		
5		1		1					2	2			1			1		2
6			5						3	1	1							
7			5						3	1		1						
8			5						3	1		1						
9			5						3	1		1						
10			5						3	1		1						
11			5						3	1		1						
12							7		2						1			
13	2						1		3						4			
14							4		5								1	
15							5		3						1		1	
16							1		4	1				1	3			
17			1				1		3	1				1	3			
18				1	5				2	1			1					
19				2					3	2					3			
20				1		1		1	3	2						2		

Figure 9: Matrix of Arithmetical Correlation (Altered Standardization Grid). (https://app.optimalworkshop.com/a/5ulk10o1/optimalsort/results/f5b04973-d18e-4741-8687-de29ac9a6a7d#/t/results/analysisTools/standardisationGrid)

CARDS	STANDARDIZED CATEGORIES
1.GEO MAP	1. ABOUT INDEX PLACE
2.COUNTRY LIST	2 ABOVE LIST
3.FILTERS / CRITERIA FOR COUNTRY	3.CATEGORY MENU
4.SEARCH	4.CENTER (KENTPO)
5.COMPARE	5.CENTER ALWAYS
6.OVERAL RANKING	6.CENTER TOP
7.GREEN SOCIETY	7.FOOTER
8.CARBON EMISSION	8.HOVER ON CATEGORY MENU
9.ENERGY TRANSITION	9.LEAVE IT AS IT IS (ΣΩΣΤΗ ΘΕΣΗ)
10.CLEAN INNOVATION	10.LEFT
11.CLIMATE POLICY	11.LEFT ABOVE CATEGORY MENU
12.PARTNERS - SPONSORS	12.PORTRAIT CATEGORY MENU
13.ABOUT INDEX - HIGHLIGHTS OF	13.RIGHT
14.ABOUT - CONTACT WITH - ADVERTISE	14.RIGHT UNDER CATEGORY MENU
15.FB-IN-INSTAGRAM-TWITTER	15.STABLE MENU
16.DOWNLOAD REPORT	16.UNDER CATEGORY MENU
17.VIEW DATA	17.NOT IMPORTANT
18.DATA TABLE / COMPARE DATA	18.NOT STANDARDIZED
19.TITLE Description	
20.SUBTITLE Description	

Figure 10: Cards and standardized categories

Explanatory analysis results were verified by statistical analysis. Key point is the differentiation of data approach analysis: Explanatory analysis copes with the numerical appearance of interfaces in several situ while statistical analysis determines whether interfaces appear together

in groups to relevant design situ. Optimal workshop platform offered the opportunity to test visualization of interface-situ combination:

Similarity matrix - represents by percentage how interfaces overlapped in situ: 100% pillars and indice found to have a presence together. COUNTRY LIST overlapped 80% with SEARCH, COMPARE and FILTERS interfaces, Search with COMPARE 50-80%, SOCIAL MEDIA - ABOUT MIT - SPONSORS 50-70%. On the contrary, GEOMAP had a low percentage in combination other than that with DATA TABLE in situ appearance on top of the map 30% (same as present). VIEW DATA overlapped with DOWNLOAD REPORT up to 90%. Similarity matrix has no reference to categories-situ.




Figure 11: Similarity Matrix.

 $\frac{(https://app.optimalworkshop.com/a/5ulk10o1/optimalsort/results/f5b04973-d18e-4741-8687-de29ac9a6a7d\#/t/results/analysisTools/similarityMatrix)}{}$

3D cluster view, had a different aspect of the interface- situ combination. Clusters represent the approximate number of situ a designer bears in mind to implement, while each cluster recites with a percentage, the possible combination of an interface to situ. Thus, for 7 different clusters-situ, a group of ABOUT MIT, SOCIAL MEDIA and SPONSORS interfaces seems to preferably appear to 100% in FOOTER, or 67% in LEAVE IT AS IT IS category (fig.12). 3D cluster view seems to offer an interesting exploration of design situ-interfaces linkage.






Figure 12: 3D Cluster view.

(https://app.optimalworkshop.com/a/5ulk10o1/optimalsort/results/f5b04973-d18e-4741-8687-de29ac9a6a7d#/t/results/analysisTools/clusterView)


Dendrograms - were more specific than similarity matrix, as soon as reveal an opportunity to link a percentage of participants to a combination of interface - situ. Best merge method or actual agreement method offered by the tool have similarities (Laubheimer, 2021).



Best Merge. 80% of participants verified the present situ of ABOUT MIT and SOCIAL MEDIAL.



Actual Agreement. 30% of participants verified the present situ of GEOMAP and DATA TABLE



Best Merge. 90% of the participants verified the situ of VIEW DATA and DOWNLOAD REPORT

Figure 13: Screens from Dendrogram Analysis.

 $\frac{(https://app.optimalworkshop.com/a/5ulk10o1/optimalsort/results/f5b04973-d18e-4741-8687-de29ac9a6a7d\#/t/results/analysisTools/dendrograms)}{}$

Results of the questionnaire: Color

Raw data of the questionnaire were gathered in the matrix of fig14. Afterwards these were summed up to the interrelated matrix of fig.15. The preferred color either of indice and pillar/pages or graphical effects of problematic nodes: COMPARE, SEARCH and DATATABLE, is linked to percentage. Color has been used to visualize the relationships. It is made clear that: pillars of CARBON EMISSION, GREEN POLICY and CLEAN INNOVATION have a 90% agreement to more symbolic colors. Light gray for CARBON, light green for GREEN POLICY and light blue for CLEAN INNOVATION. ENERGY TRANSITION had a 60% and CLIMATE POLICY a 20% agreement of existing color. The GREEN FUTURE 2021 homepage color had a 40% agreement to sustainable green, though 40% accepted the existing purple stated to imply a consort of technology linked to MIT. Verbal comments pointed out that SEARCH as a problematic node had a visual flaw compared to the neighboring FILTER, as it lacked a hover command. In addition, the COMPARE interface was well hidden with a code error in emerging, with tiny letters on a dark background screen overwhelmed with information.

	GFI21	CARBON EMISSION	ENERGY TRANSITION	GREEN SOCIETY	CLEAN INNOVATION	CLIMATE POLICY	SEARCH	COMPARE	DATA TABLE	TEXT	CRITERIA
RED	-	10%	20%	2		10%	1321	-	SAME	140	=
GREEN	40%	7.8	10%	90%		20%	20%	10%	SAME		-
BLUE	10%	10%	20%	12)	30%	30%	020	20	SAME	(20)	=
CYAN	20%	=8	10%	5	60%	10%	17 - 2	10%		150	=
MAGENTA	10%	40	10%			10%		•		000	×
YELLOW	10%	20%	40%	10%		20%	20%	10%			10%
WHITE		- 6	10%	¥	10%	0%	40%	40%	LIGHTER MORE	100%	70%
GRAY	20%	70%	10%	3	30%	20%	30%	10%	CONTRAST	151	20%
LIGHT	50%	40%	40%	50%	50%	50%	40%	10%		(2)	10%
DARK		10%				10%	10%	-			
BOLD	20%			-			10%	10%		1-1	-
FRAMED		•					80%	50%			90%
HIGH/ED	10%	10%	-		-		•	•			-
OTHER	40%	21	10%	10%	20%	50%	40%	60%		163	30%
	MIXTURE OF MIDDLE GRAY BLUE	MIXTURE OR LIGHT GRAY BLUE	MIXTURE OF MIDDLE TONE GRAY GREEN	MIXTURE OF LIGHT GRAY GREEN	MIXTURE OF MIDDLE TONE	MIXTURE OF MIDDLE TONE	SAME COLOR TO CATEGORY	BACKGROUND SAME COLOR TO CATEGORY	ΑΝΟΙΧΤΌ ΜΕ ΑΝΤΙΘΕΣΗ		GRAY BACKWARDS
	SAME PURPLE				PURPLE LIGHT	LIGHT RED	COLOR BACKWARDS	SAME COLOR TO CATEGORY	MORE CONTRAST TO BACKWARD GEOMAP		HOVER
	SAME PURPLE					PETROL	GRAY BACKWARDS	SAME	MOVE DOWN TO INCREASE VISIBILITY		
	SAME PURPLE					SAME	HOVER	BACKGROUND SAME COLOR TO CATEGORY			
						LIGHT GREEN		HOVER			

Figure 14: Color questionnaire matrix

(https://app.optimalworkshop.com/a/5ulk10o1/optimalsort/results/f5b04973-d18e-4741-8687-de29ac9a6a7d#/t/results/questions)

COLOR: INTERRELATED TABLE LIGHT GREEN 90% **GREEN SOCIETY** 90% GRAY CO2 EMISSION LIGHT BLUE 90% CLEAN INNOVATION YELOWISH ORANGE 60% **ENERGY TRANSITION** LIGHT HOT BLUE 20% LIGHT COLD BLUE 30% PETROL (SAME COLOR) 20% CLIMATE POLICY LIGHT GREEN 10% DARK RED 10% YELOWISH ORANGE 10% LIGHT GREEN 40% GREEN FUTURE INDEX 30% LIGHT BLUE HOMEPAGE 30% MAGENTA VIOLET

framed	100%			
Hover - GRAY	80%			
LIGHT GREEN	20%	search		
LIGHT YELLOW	20%			
	Next to country			
	in list			
	Next to country out of list			
Green or category color	Multiple choice from map	compare		
	Check box			
	Link in data table			
contrast	80%			
center	move with mouse	Data table		

Figure 15: Color visualized with percentage

Results: SUS Scale

According to Katsanos et al., SUS scale has a lowest average of 12 participants to justify the results (Katsanos et al., 2012). Although, the 10 participants gave a score of 52,25 % which stands far away from the average 70%, what was most important was their written comments about the usability of the website. They run the SUS questionnaire altered with an open question for their suggestions, according to their mental models as student designers. Written comments verified the verbal ones (fig.16). The original Greeks was translated into English via Google translator. It is clearly stated that most of them had a difficulty with the detection of COMPARE, furthermore their proposals to improve usability are depicted in matrix fig15.

Written comments of participants:

- Unreasonably complicated site
- Difficult to compare between countries and poor choice of colors
- Search should be more visible (for example by using the corresponding color of the menu). I would prefer the menu with different colors that suits best each category. The comparison should be between more than two countries. I cannot find the way.
- I would prefer the colors on the map to match the colors green, orange, red as used for the score, in order to get a better overall picture of what is going on.
- The list of countries should be in a different box and color to stand out from the search option.
- I would also like a Greek menu
- The categories need to be better organized (colors, layout) and be able to compare data from more than 2 countries.
- 1) Difficult or even impossible to find a way to compare, 2) Why should there be a possibility to compare more countries? 3) Weak visualization of the navigation menu, maybe different colors.
- It has problem with scrolling and the choice of colors could be better
- There is no symbolic use of the categories color, black and white is tiring for the eye.
- The search is not visible and should go somewhere on the top right. Compare should be entered in the data table as an option.

Figure 16: Table of the Participant's scriben comments.(
https://docs.google.com/forms/d/11m-iYPV5bkdejZu8G8ChHXD_G5PCHX-Mlk-E8DuErXw/edit#responses)

Results: Analysis with visualizations

Study results are mostly cascading, while the workflow: HYPERTEXT - THINK-ALOUD - TREE TEST - SUS - CARD SORTING, ladders via results to the upper levels of evaluation. In the beginning, Hypertext registration pointed out the information network of country performance and comparison. Afterwards, User observation Think-Aloud method revealed the best countries to spot the problematic nodes in workflow in order to verify with the tree test.

Tree tests had a key role in participants' mental model formation in order to reveal them in the following Card Sorting. On the other hand, linked analysis of Optimal Workshop Tree test, evaluated the architectural structure of the site (fig.17). First Click was found to share between interactive spatial visualization (GEOMAP) and interactive COUNTRY LIST. The results of the two tests were relevant 40%-60% (fig 18). The lowest First Click is 30% granted to the GEOMAP interface by the tool: it is not real while participants had already run an in-vivo comparison task, so they had realized that there was no point to search for comparison under the GEOMAP branch on the tool. None of the participants' first click in-vivo included DOWNLOAD REPORT & VIEW DATA interfaces, despite their situ (20% was their first click by the tool). The in-vivo tree test needed extra nodes that had not been predicted (fig.20).




Figure 17: Tree Tests compared data analysis, as remain in Optimal Workshop platform. Compared results for both tasks.

(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/04cd3480-cdbe-445e-9a42-50ad3729b2af#/t/results/overview/studyOverview)

 $\frac{(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/f1d24ad6-b336-4bbb-bc5a-e649c4546c93\#/t/results/overview/studyOverview)}{}$

First Click Interaction by the tool Interaction in-vivo 1st task 2nd task 1st task 2nd task first during first during first during first during Download 10% Report View Data 20% 20% 10% 70% Geo Map 40% 60% 30% 30% 40% 50% 70% 70% 60% 80% 50% 100% Country List 40% 60% 80%

Figure 18: First click.(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/04cd3480-cdbe-445e-9a42-50ad3729b2af#/t/results/analysisTools/firstClick)

(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/f1d24ad6-b336-4bbb-bc5a-e649c4546c93#/t/results/analysisTools/firstClick

Success									
	Interaction	by the tool	Interaction in-vivo						
	1st task	2nd task	1st task	2nd task					
Direct Success	40%	20%	60%	20%					
Indirect Success	50%	50%	40%	50%					
Direct Fail	10%	-	-	-					
Indirect Fail		30%		30%					
Total success of Tree Test	80% success wit	th 35% directness	85% success with 40% directness						

Figure 19: Success Analysis. (https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/0ad3480-cdbe-445e-9a42-50ad3729b2af#/t/results/analysisTools/taskResults)




Figure 20: The pie visualizations of the destinations (horizontal) for both tree tests. (https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/04cd3480-cdbe-445e-9a42-50ad3729b2af#/t/results/analysisTools/pieTree)

(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/f1d24ad6-b336-4bbb-bc5a-e649c4546c93#/t/results/analysisTools/pieTree)

Visualizations via the pie tree of the destinations revealed the mental model way the participants used the offered tools to reach their goal. The performance task in-vivo interaction direct success destinations - after moderator's registration to Optimal Workshop platform tool - were:

Overall Ranking (GFI21)>GEOMAP>click+drag>click+drag>Australia shape ---- 50% (30% direct)

Overall Ranking (GFI21)>country list>scroll country list>Australia—-----20% (20% direct)

Overall Ranking (GFI21)>GEOMAP>click+drag>Kenya>click+drag>Australia shape—-----10% (10% direct)

The relevant direct success destinations by the tool were:

Overall Ranking (GFI21)>GEOMAP>click+drag>click+drag>Australia shape ---- 50% (10% direct)

Overall Ranking (GFI21)>country list>scroll country list>Australia—-----20% (20% direct)

Overall Ranking (GFI21)>country list>search / type>country list>Australia—----20% (10% direct)

For the second task, the countries' performance comparison, the relevant results for in-vivo interaction direct success were:

Overall Ranking (GFI21) > country list > scroll country list > France > data table > mouse over>scroll country list > Italy—-40% (10% direct)

Overall Ranking (GFI21) > country list > search / type > country list > France > data table > search / type > Italy—----20% (10% direct)

Overall Ranking (GFI21) > GEO MAP > France shape > data table > mouse over > scroll country list > Italy—----10%

While, for the interaction by the tool were:

Overall Ranking (GFI21) < country list < scroll country list < France < data table < mouse over < scroll country list < Italy—----20%

Overall Ranking (GFI21) < country list < scroll country list < France < data table < search / type < Italy—---(10%) (10% direct)

Overall Ranking (GFI21) < GEO MAP < France shape < data table < search/type < Italy—---(10%)

Overall Ranking (GFI21) < GEO MAP < France shape < data table < mouse over < scroll country list < Italy—---(10%) (10% direct)

Overall Ranking (GFI21) < country list < search / type < country list < France < data table < search / type < Italy—---(10%)

Overall Ranking (GFI21) < country list < Filters < Region < Europe, Central Asia < France, data table < scroll country list < Italy—---(10%)

(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/f1d24ad6-b336-4bbb-bc5a-e649c4546c93#/t/results/analysisTools/destinations)

 $\frac{(https://app.optimalworkshop.com/a/5ulk10o1/treejack/results/04cd3480\text{-}cdbe\text{-}445e\text{-}9a42-}{50ad3729b2af\#/t/results/analysisTools/destinations})$

The comments of the participants during the tool-tree test reflected that the participants had no previous experience of relevant tools, beside the link of the demo tree test of Optimal Workshop. The textual description of nodes either helped (i.e. search) or disturbed them (i.e. scroll up, zoom in). High percentage of indirect success (50%) in fig.19, is verified by the visualizations of the preferred routes in fig.20. Especially for the comparison task, it is clear that there is a high possibility of user's drifting around the website until they reach their goal.

Comments of the participants were crucial to the Card Sorting procedure. Firstly, 3 participants revealed a relief about the countries involved in the query as well known, declaring their inconvenience with country spatial detection. Most important were the comments of the tree test, defining the problematic nodes, which could be arithmetically declared as:

A.	SEARCH	1/10	didn't see it at all
		2/10	used it automatically
B.	COMPARE	8/10	gone through without perception
C.	DATA TABLE	7/10	didn't realize that was the answer to task

Figure 21: The problematic nodes.

Thus, the problematic nodes were of high importance within card sorting. In order to enhance usability, the moderator insisted on their proposals as designers, which have been already depicted in fig.15 and fig.16.

During the Card Sorting, the procedure of drag & drop was found to be quite convenient to visualize the participant's mental models (fig.6). That participant stated that he needed extra time to tidy up his categories in order to visualize them in a real place. In addition, all participants paid attention to the order the pillar interfaces would appear in the category menu. 50% preferred the climate policy pilar interface to move next to indice interface for the 40% weighting.

Card sorting's two explanatory and statistical findings were considerate, with respect to the comments, to propose for the usability of the website. Color results could be taken under consideration for a more symbolic graphic approach of the website.

Conclusions

The Electronic Media participants used to investigate the web site were most crucial. Moderator suggested a 24/7 computer in contrast to a laptop wi-fi. Most of them accessed the site via Google Chrome browser, while laptop lacked site stability of visibility. Suggestions such as addition of multiple languages choice and modification of data / comparison table situ are omitted via Microsoft Edge Bing browser. In order to reach a conclusion for the 60% finding of Explanatory and Statistical Analysis of Card Sorting about the situ of data table, it was highly recommended for the moderator to insist in browser and media usage. In relevant research, a moderator besides the registration of the hypertext should investigate and conclude about the best media or browser to evaluate a website. Participants should operate under certain circumstances. The website operation under various media or browsers could be stated in the moderator's / evaluator's essay. To conclude, while Google Chrome is mainly used (64.38%), there is a suggestion to improve the visibility of data table, with respect to the appearance situ, for the specific browser (Statcounter, 2024).

Regarding the second finding of Card Sorting, sponsors lie on the header, following the MIT website's specifications - which was stated correctly by a participant. The overwhelming 70% for the sponsors to degrade to the footer situ is not the point. It is most possible the lack of site visibility (Nielsen usability law No.1) that confused the participants. It was stated several times "it is annoying for the sponsors to remain visible all the time if the category menu disappears after scrolling". Inferentially, there is a necessity to modify the stability of the category menu visibility. MIT had already altered the website design in the following versions of the Green Future Index (The Green Future 2022, The Green Future 2023).

The alteration in Card Sorting procedure to evaluate graphic design was well approved by participants, while the procedure interfered mainly with the subject of their curricular studies. It seemed they enjoyed much to suggest alternative situ for the interfaces being an MIT web designer themselves. Probably the procedure will fit among the members of usability groups or website designers' associations. Definitely a vast number of 50 participants will positively affect the results since visualization is a concept most controversary. Definitely moderator should be more specific and firmer: Participants should make use of the specific media and browser suggested, otherwise the results should be excluded from research. During the procedure categories could be proposed, in order to minimize the vast number of categories, to alleviate moderator's work (42 categories for 10 participants). A Delphic Card Sorting could work (Paul, 2008). On the other hand, the procedure may help the IT's, since category onomatology pointed out a necessity to improve programming code. Finally, in order to visualize the participant's mental models, it is recommended to encourage them to tidy up the visual or physical table according to their spatial suggestions. The alteration will certainly work under this special participant's ability of designer's aspect.

Furthermore, Card Sorting found to be able to work with indices workflow construction, among human centered participatory methods (Drago, 2022; Moreira, 2012). The method could work within specific scientific groups aware of the separate indexes construction theory each time. Results probably will be similar to that of questionnaire, or focus group other than Card Sorting linked visualizations offer a perspective of statistical analysis.

References

- Allison R., Hayes C., McNulty C. & Young V. (2019). A Comprehensive Framework to Evaluate Websites: Literature Review and Development of GoodWeb. *JMIR Form Res* 2019; 3(4):e14372) doi: 10.2196/14372
- Drago C., (2022). From the analysis of the composite indicators to the analysis of the symbolic composite indicators. Conference: The 24th International Conference on Computational Statistics (COMPSTAT 2022) 23-26 August 2022. Affiliation: University of Bologna. https://www.researchgate.net [accessed 15 September 2022]
- Drago C., (2017). Interval Based Composite Indicators. SSRN. DOI: 10.2139/ssrn.3038751
- Fincher S. & Teneberg J., (2005). Making sense of card sorting data. *Expert Systems. Willey on line library*. https://doi.org/10.1111/j.1468-0394.2005.00299.x [accessed 17 December 2022]
- GFI, (2021). The Green Future Index 2021. *MIT Technology Review Insights*. https://www.technologyreview.com/2021/01/25/1016648/ green-future-index/ [accessed 20 July 2022]
- Hudson W., (2005). *Everything You've Always Wanted to Know About Card Sorting*. Syntagm.com. https://syntagm.co.uk/design/cardsort.pdf [accessed 20 October 2021]
- Katsanos C., Tselios N., & Xenos, M. (2012). Perceived Usability Evaluation of Learning Management Systems: A First Step towards Standardization of the System Usability Scale in Greek. Conference: Proceedings of PCI 2012, Piraeus, Greece. DOI:10.1109/PCi.2012.38 [accessed 20 March 2021]
- Lamantia J., (2003 Aug. 26). Analyzing Card Sort Results with a Spreadsheet Template. *Boxes and Arrows*. https://boxesandarrows.com/analyzing-card-sort-results-with-a-spreadsheet-template/faccessed 20 December 2022].
- <u>Laubheimer</u> P., (2021). How to Interpret Dendrograms from Card Sorting to Improve Information Architecture. NNgroup. https://www.youtube.com/watch?v=zmxW1c0DYmM&t=2s [accessed 27 December 2022]
- Lee R., (2021 July 22). 19 Online Card Sorting Tools To Uncover User Mental Models (2023). User interviews. https://www.userinterviews.com/blog/card-sorting-tools-ux-research [accessed 28 December 2022].
- Lloyd, D., <u>Dykes, J.</u> & Radburn, R. (2008). Mediating geovisualization to potential users and prototyping a geovisualization application. *GIS Research UK*. Manchester, UK: April 2-4; 9-16. https://openaccess.city.ac.uk/id/eprint/409/ [accessed 29 January 2023]
- Meadows D., (1998). *Indicators and Information Systems for Sustainable Development*. The Sustainability Institute, 1998. South Africa. https://donellameadows.org/ [accessed 15 November 2022]
- Moreira S., (2012). Composite indicators of development the importance of the weights. Conference Proceedings International Conference "New Challenges of Economic and Business Development" 2012, Riga. Corpus ID: 111373009. https://www.semanticscholar.org/ [accessed 20 November 2022]

- NNgroup, (2019, Nov 1). *Tree Testing to Evaluate Information Architecture Categories*. NNgroup. https://www.youtube.com/watch?v=P0WDO76300Q [accessed 4 December 2022]
- Nielsen J., (2012 January 12). *Thinking Aloud. The #1 usability tool.* NNgroup. https://www.nngroup.com/articles/thinking-aloud-the-1-usability-tool/. [accessed 15 January 2023]
- Nielsen J. & Chan M., (2024 January 26). *Mental Models*. NNgroup. https://www.nngroup.com/articles/mental-models/ [accessed 2 February 2024]
- Paul L., (2008, November 1). A modified Delphi approach to a new card sorting methodology. *Journal of Usability Studies*, 4(1), 7–30. https://dl.acm.org/doi/10.5555/2835577.2835579 _ [accessed 15 March 2023]
- Righi C., James, J., Beasley, M., Day, D. L., Fox, J. E., Gieber, J., & Ruby, L. (2013 March 1). "Card sort analysis best practices". *Journal of User Experience*, 8(3), 69–89. https://uxpajournal.org/card-sort-analysis-best-practices-2/ [accessed 20 January 2023]
- Roth R., Finch B., Blanford J., Klippel A., Robinson A. & MacEachren A., (2010, November). Cart Sorting for Cartographic Research and Practice. Conference: International Symposium on Automated Cartography (AutoCarto). Orlando, FL. https://www.researchgate.net/publication/267263187 [accessed 24 January 2023]
- Rugg G., & McGeorge P., (2005, July). The sorting techniques: a tutorial paper on card sorts, picture sorts and item sorts. *Expert Systems*. https://doi-org.proxy.eap.gr/10.1111/j.1468-0394.2005.00300.x [accessed 15 September 2022]
- Saltelli A., (2006 September 6). Composite Indicators between Analysis and Advocacy. *Sprinker link*, *81*, 65–77, (2007). DOI: 10.1007/s11205-006-0024-9
- Sauro, J. (2012, July 17). *Card Sorting + Tree testing: The science of great site navigation*. Measuring Usability. https://measuringu.com/cardsort-tree-test/ [accessed 20 December 2021]
- Spencer D., (2009). *Creating Usable Categories*. New York, Brooklyn: Rosenfeld Media. https://www.ipcinfo.org. ISBN: 1-933820-02-0 [accessed 10 November 2021].
- Statcounter, (2024). *Browser Market share worldwide*. Globalstats. https://gs.statcounter.com/gaccessed-21-February-2024]
- Styliaras G., |Dimou V., & Zeuglolis D. (2019). *Multimedia theory & tools*. Thessaloniki Greece: Tziola (in Greek)
- Syntagm, (2024). *Card Sorting Introduction*. Syntagm design for usability. https://syntagm.co.uk/design/cardsortintro.html [accessed 20 January 2024]
- Tankala S., & Sherwin K., (2024 February 2). Card Sorting: Uncover Users' Mental Models for Better Information Architecture. NNgroup. https://www.nngroup.com/articles/card-sorting-definition/ [accessed 13 February 2024]
- Tullis T. & Wood L., (2004, June 7). How Many Users Are Enough for a Card-Sorting Study? Conference: Usability Professionals Association (UPA) 2004,(132) Minneapolis, MN. https://www.researchgate.net/publication/254164354 [accessed 15 September 2022]
- United Nations, (2024). *The Paris Agreement*. United Nations. https://www.un.org/en/climatechange/paris-agreement [accessed 28Noveber 2022]
- Usability.gov, (2021). *Card Sorting*. Usability Gov. https://www.usability.gov/how-to-and-tools/methods/card-sorting.html [accessed 10 February 2022]
- Userlytics, (2024). *Optimize your information architecture with Tree-testing*. Userlytics. https://www.userlytics.com/tree-testing/ [accessed 12 January 2024]

Usertest, (2023 September 8). Create a Cart Sort. Usertesting University. https://help.usertesting.com/hc/en-us/articles/360000662278-Create-a-Card-Sort [accessed 20 January 2023]

Urh M., Baggia A. & Jereb E., (2014, March). Using a Modified Card Sorting Method for Website Interaction Improvement. Conference: 33rd International Conference on Organizational Science Development. Portorož, Slovenia. DOI: 10.13140/2.1.5031.7443 [accessed 19 February 2023]